

# Water Management Consortium

# ADVICE NOTE AN01: BUILDINGS, STRUCTURES, PLANTING AND FENCING

Version	Date	Description	Originator	Checked
	09.08.11	DRAFT	AMD	
1	27.09.11	FINAL – BOARD APPROVED	AMD	DJS
2	09.07.13	New Logo Added	LSQ	DJS
3	23/04/2018	Amendments	TR	DJS
4	29/04/2021	Updated for WMC	LSQ	RB/DC
5	19/07/2023	Updated for utility apparatus	LSQ	DC

The Boards reserve the right to update or change this living document at any time without notice.

Lindsey Marsh Drainage Board
Isle of Axholme and North Nottinghamshire Water Level Management Board
Trent Valley Internal Drainage Board
Doncaster East Internal Drainage Board

## **BUILDINGS, STRUCTURES, OR PLANTING**

# The Boards' Byelaw No. 10 states:

"No person without the previous consent of the Board shall erect any building or structure, whether temporary or permanent, or plant any tree, shrub, willow or other similar growth within nine metres of the landward toe of the bank where there is an embankment or wall or within nine metres of the top of the batter where there is no embankment or wall, or where the watercourse is enclosed within nine metres of the enclosing structure."

No trees will be allowed within 9.0 metres of a Board maintained open watercourse or culvert.

The Boards may be prepared in exceptional circumstances to allow buildings, structures or planting of approved hedges and shallow rooted bushes within the 9.0 metre protected strip on one side of any Board maintained open watercourse, provided that there is an adequate continuous and guaranteed access strip on the opposite side. Such development will not normally be allowed any closer than 6.0 metres from the bank top of the watercourse.

The Boards may be prepared in exceptional circumstances to allow buildings, structures or planting of approved hedges and shallow rooted bushes within the 9.0 metre protected strip on one side of any Board maintained culverted watercourse, provided that there is an adequate continuous and guaranteed access strip either side of the culvert after the development is completed.

The following table indicates relaxations that may be appropriate for Board maintained culverted watercourses; however formal applications to the Boards will be required to determine any relaxation. All applications will be judged on their own merit.

Pipe Diameter	Depth to Pipe Invert			
	<3.0 m	3.0 – 4.0 m	Over 4.0 m	
≤300 mm	3.0	3.0	4.0	
450 mm – 600 mm	3.5	4.0	5.0	
750mm – 900 mm	4.0	5.0	5.0	
1.0 m	5.0	5.0	6.0	
≥1.2 m	5.0	5.0	6.5	

Note: The above clearances must be measured from the outside edge of the pipe and are required each side of the culvert.

The Boards will not allow any buildings, structures or planting of approved hedges and shallow rooted bushes over the top of a Board maintained culvert unless exceptional circumstances apply. Such applications may be referred to the Boards for determination at the next appropriate Board meeting and may require a Deed of Indemnity to be agreed. All associated costs are to be borne by the applicant.

Careful consideration must be given to the area required for gardens or public open space and the structures that are likely to be erected. This is because structures such as fences, sheds and greenhouses must comply with the Byelaw requirements.

Replacement structures will be determined on a case by case basis. Developers should take all reasonable steps to improve access for the Boards' machinery. An increase in the structure's footprint is unlikely to be acceptable unless significant access improvements for the Boards' machinery can be demonstrated.

### **PLANTING**

The following is a selected list of approved hedges / shallow rooted bushes:

Dogwood Cornus Sanguinea

Hawthorn Crataegus Monogyna

Holly Ilex Aquifolium

Wild Privet Ligustrum Vulgare
Guelder Rose Viburnum Opulus

Dog Rose Rosa Canina

Spindle Euonymus Europeans

Sweet Briar Rosa Rubiginosa
Wayfaring Tree Viburnum Lantana

Field Rose Rosa Arvensis

Cherries Prunus Spp. (urban locations)

Crabapples Malus Spp.

Note: This is not a definitive list. The Boards will consider other indigenous species that are shallow rooting and are expected to have limited height and spread.

### **FENCING**

# The Boards' Byelaw No. 17 states:

No person shall without the previous consent of the Board -

(d) erect or construct or cause or permit to be erected or constructed any fence, post, pylon, wall, wharf, jetty, pier, quay, bridge, loading stage, piling, groyne, revetment or any other building or structure whatsoever in, over or across any watercourse or in or on any bank thereof;

For typical domestic or commercial fencing developers should follow advice given earlier in this document for 'structures'.

Stock proof fencing within 9.0 metres may be acceptable. In such cases fencing must:

- be of post and rail or post and wire construction
- be sited between 0.5 and 1.0 metre from the bank top
- not exceed 0.9 metres in height

Where fencing is required to be perpendicular to a watercourse, the Boards will require access for machinery to be maintained. This can be achieved via the inclusion of access gates with a minimum opening of 4.25 metres at both the upstream and downstream boundary.

Where possible, any fence erected within Byelaw distance must be of a temporary or demountable nature.

Compliance with the above requirements will allow the Boards to continue maintenance by working over the proposed fence.

A typical cross section is included in Appendix A.

Where, in exceptional circumstances, fencing is permitted in close proximity to a watercourse, the Boards may require the applicant to enter into a Deed of Indemnity with the Boards.

Consideration should also be given to the Boards' advice note ANO4: Stability of garden fences close to Board maintained watercourses.

**UTILITY APPARATUS WITHIN 9 METRES OF A BOARD WATERCOURSE** 

The Boards' consent will be required for any utility apparatus within 9 metres of a Board

maintained watercourse. Apparatus such as water, sewage and telecoms can be considered

for derogations by the Boards' officers within their delegated authority.

High voltage electricity cables and gas mains that are proposed within 9 metres of a Board

maintained watercourse represent a significant risk to the health and safety of the Boards'

operatives whilst carrying out maintenance activities. Therefore, in the first instance, such

apparatus should be located outside of the 9 metre Byelaw distance. Where this cannot be

achieved, applicants are advised that such applications must be determined at a full Board

meeting.

**FURTHER GUIDANCE** 

The Water Management Consortium Boards have the following documents available:

• Consent Application Form

• Technical Guidance Notes

Byelaws

Planning and Byelaw Policy

The Water Management Consortium Boards have also produced a series of other advice

notes including:

AN02: Culverts and Bridges

AN03: Environmental Considerations

AN04: Stability of Garden Fences Close to Board Maintained Watercourses

AN05: Service Crossings

AN06: Surface Water

The above documents are available from the Consortium's office during normal working hours

or alternatively, can be downloaded electronically from <a href="http://www.wmc-idbs.org.uk">http://www.wmc-idbs.org.uk</a>

If you would like to discuss any of the information in this document or associated advice notes,

please do not hesitate to contact the Consortium's offices using the details provided below.

4


WATER MANAGEMENT CONSORTIUM
WELLINGTON HOUSE
MANBY PARK
LOUTH
LINCOLNSHIRE
LN11 8UU

Telephone: 01507 328095

Email;

Lindsey Marsh Drainage Board - <a href="mailto:planning@Imdb.co.uk">planning@Imdb.co.uk</a>
Isle of Axholme and North Nottinghamshire Water Level Management Board - <a href="mailto:planning@ioadb.co.uk">planning@ioadb.co.uk</a>
Trent Valley Internal Drainage Board - <a href="mailto:planning@deidb.co.uk">planning@tvidb.co.uk</a>
Doncaster East Internal Drainage Board - <a href="mailto:planning@deidb.co.uk">planning@deidb.co.uk</a>

# APPENDIX A - TYPICAL FENCING CROSS SECTION





WATER MANAGEMENT CONSORTIUM
WELLINGTON HOUSE
MANBY PARK
LOUTH
LINCOLNSHIRE
LN11 8UU

Telephone: 01507 328095